

DATEC-COMPACT 紧凑手持盒

紧凑手持盒

新型 DATEC-COMPACT 紧凑手持盒具备特别的紧凑性和坚固的设计性，特别理想适合用于移动式机盒。

- 坚固耐用的高质材料 ASA+ PC-FR 适合户外使用（室外）
- 高防护等级 IP 65 机盒配备用于恶劣环境的密封件；
防护等级 IP 41 不带密封的机盒可选，适用于价格低廉的测量仪器外壳
- 3 种规格，2 种颜色
- 可选无/带电池盒，适配 1.5 伏微电池或 AA 电池；三个电池单元保证 3V 电源的供给
- SD 卡 或 USB 插头可在内设的密封空间使用（含电池型机盒）
- 便于数据传输和充电电流传输的插座作为附件
- 梅花头不锈钢螺钉固定
- 其他附件：接触弹簧组件和镀金触点



DATEC-COMPACT 紧凑手持盒

应用示例

移动式数据采集。测量和控制技术。自动化技术。医疗和实验室技术。环保技术。户外应用。
Smart Factory。 Industry 4.0。



Atmospheric oxygen measuring unit



Electronic pool tester



Measuring device for heating water



Mobile diagnostic device for CAN and CAN FD buses



Phase Multimeter



Spectral light meter



System for leak detection in leisure vehicles



Wood moisture measuring device

按客户要求修改加工

如何体现您的特殊产品？如有需要，我们执行所有必要的修改和精加工，提供组装完毕的机盒。
产品类型用于 Datec-Compact 紧凑手持盒



机械加工



表面涂渡



图文打印于机盒



激光打印字体



装饰膜



EMC 保护



制备 / 组装

DATEC-COMPACT 紧凑手持盒

类型



A9005107
DATEC-COMPACT S
ASA+PC (UL 94 V-0)
off-white RAL 9002
136x74x32mm
IP 65



A9005108
DATEC-COMPACT S
ASA+PC (UL 94 V-0)
lava
136x74x32mm
IP 65



A9005117
DATEC-COMPACT S
ASA+PC (UL 94 V-0)
off-white RAL 9002
136x74x32mm
IP 41



A9005118
DATEC-COMPACT S
ASA+PC (UL 94 V-0)
lava
136x74x32mm
IP 41



A9005207
DATEC-COMPACT S
ASA+PC (UL 94 V-0)
off-white RAL 9002
136x74x32mm
IP 65



A9005208
DATEC-COMPACT S
ASA+PC (UL 94 V-0)
lava
136x74x32mm
IP 65



A9005217
DATEC-COMPACT S
ASA+PC (UL 94 V-0)
off-white RAL 9002
136x74x32mm
IP 41



A9005218
DATEC-COMPACT S
ASA+PC (UL 94 V-0)
lava
136x74x32mm
IP 41



A9006107
DATEC-COMPACT M
ASA+PC (UL 94 V-0)
off-white RAL 9002
172x92x39mm
IP 65



A9006108
DATEC-COMPACT M
ASA+PC (UL 94 V-0)
lava
172x92x39mm
IP 65



A9006117
DATEC-COMPACT M
ASA+PC (UL 94 V-0)
off-white RAL 9002
172x92x39mm
IP 41



A9006118
DATEC-COMPACT M
ASA+PC (UL 94 V-0)
lava
172x92x39mm
IP 41



A9006207
DATEC-COMPACT M
ASA+PC (UL 94 V-0)
off-white RAL 9002
172x92x39mm
IP 65



A9006208
DATEC-COMPACT M
ASA+PC (UL 94 V-0)
lava
172x92x39mm
IP 65



A9006217
DATEC-COMPACT M
ASA+PC (UL 94 V-0)
off-white RAL 9002
172x92x39mm
IP 41



A9006218
DATEC-COMPACT M
ASA+PC (UL 94 V-0)
lava
172x92x39mm
IP 41

DATEC-COMPACT 紧凑手持盒



A9007107
DATEC-COMPACT L
ASA+PC (UL 94 V-0)
off-white RAL 9002
206x110x47mm
IP 65



A9007108
DATEC-COMPACT L
ASA+PC (UL 94 V-0)
lava
206x110x47mm
IP 65



A9007117
DATEC-COMPACT L
ASA+PC (UL 94 V-0)
off-white RAL 9002
206x110x47mm
IP 41



A9007118
DATEC-COMPACT L
ASA+PC (UL 94 V-0)
lava
206x110x47mm
IP 41



A9007207
DATEC-COMPACT L
ASA+PC (UL 94 V-0)
off-white RAL 9002
206x110x47mm
IP 65



A9007208
DATEC-COMPACT L
ASA+PC (UL 94 V-0)
lava
206x110x47mm
IP 65



A9007217
DATEC-COMPACT L
ASA+PC (UL 94 V-0)
off-white RAL 9002
206x110x47mm
IP 41



A9007218
DATEC-COMPACT L
ASA+PC (UL 94 V-0)
lava
206x110x47mm
IP 41



A9105507
Station S
ASA+PC (UL 94 V-0)
off-white RAL 9002



A9105508
Station S
ASA+PC (UL 94 V-0)
lava



A9106507
Station M
ASA+PC (UL 94 V-0)
off-white RAL 9002



A9106508
Station M
ASA+PC (UL 94 V-0)
lava



A9107507
Station L
ASA+PC (UL 94 V-0)
off-white RAL 9002



A9107508
Station L
ASA+PC (UL 94 V-0)
lava

DATEC-COMPACT 紧凑手持盒

“电池” 配件



A9190023
Set of battery clips, 3 x AA
Steel
nickel-plated



A9190024
Set of battery clips, 3 x AAA
Steel
nickel-plated

“底座” 配件



A9105507
Station S
ASA+PC (UL 94 V-0)
off-white RAL 9002



A9105508
Station S
ASA+PC (UL 94 V-0)
lava



A9106507
Station M
ASA+PC (UL 94 V-0)
off-white RAL 9002



A9106508
Station M
ASA+PC (UL 94 V-0)
lava



A9107507
Station L
ASA+PC (UL 94 V-0)
off-white RAL 9002



A9107508
Station L
ASA+PC (UL 94 V-0)
lava



A9193031
Spring contact
gold-plated

“挂墙支架” 配件



A9105627
Holder S
ASA+PC (UL 94 V-0)
off-white RAL 9002



A9105628
Holder S
ASA+PC (UL 94 V-0)
lava



A9106627
Holder M
ASA+PC (UL 94 V-0)
off-white RAL 9002



A9106628
Holder M
ASA+PC (UL 94 V-0)
lava

DATEC-COMPACT 紧凑手持盒



A9107627
Holder L
ASA+PC (UL 94 V-0)
off-white RAL 9002



A9107628
Holder L
ASA+PC (UL 94 V-0)
lava

“螺钉” 附件



A0305031
Self-tapping screws 2.5 x 6 mm
(PZ1)



A0325060
Self-tapping screw 2.5 x 6 mm
(T8)
Stainless steel

附件



A9193030
Contact pin
gold-plated



A9207150
Anti-slide feet 6.5 x 2 mm
transparent

保留技术更改可能性。© OKW 机盒系统, Buchen/德国。